


FLOTHRU



ALUMINUM GRILLE AND DIFFUSER



FIGTHRU



CEMMI TRADING CO.,LTD.



Company's Profile

In 1970, our company, named **"Cemmi Engineering Company"**, was first established on New Petchburi Road to be a consultant about the factories and machines. Then the company was expanded to be the first aluminum air grill producer of Thailand. Our products under brand **"FIGTHRU"**

In 1973, we decided to find a new larger place to support our bigger production line. Then we moved to Suksawat Road and the company has been here until now.

In 1988, our company was developed in all systems and renamed to be **"Cemmi Trading Company limited"**. Our product quality was guaranteed by The National Association of Testing Authorities (N.A.T.A.), Australia in 2000 and by King Mongkut's Institute of Technology Ladkrabang in 2008.

With 40 years experience, we are proud to be producing the best air diffusers and grills to the market in several sizes and designs which are customized. Moreover, we also provide many kinds of air ducts and accessories to support our customers by the reason of our belief, that is, customer satisfaction is the most important for us.



CEMMI TRADING CO.,LTD.

Head Office + Factory : 138/1 Suksawat Rd., Bangpakok Ratburana Bangkok 10140


Tel : 02-427-3220, 02-427-2603, 02-427-2603, 02-428-6183-4

Fax : 02-427-3418, 02-428-6319

Email : cemmitrading@hotmail.com

cemmi_trading@yahoo.com

Website : www.cemmitrading.co.th



FIGTHRU



CEMMI TRADING CO., LTD.

www.cemmitrading.co.th

CEMMI TRADING CO., LTD. December, 2000 Page 2 of 8

DOCUMENT CONTROL FORM

Effect of Damper on the Airflow And Acoustic Performance of Various Air Outlets and Inlets

FILE:	REPORT CODE:	
GT3024342.doc	MA 77	
PREPARED FOR:	PREPARED BY:	
CEMMI TRADING CO., LTD. 312, 244 MOO 9 SOI SUKSAWAD 34 SUKSAWAD RD. BANGPAKOK RADBURANA BANGKOK THAILAND 10140 Telephone: (65) 4296183 - 4 Facsimile: (65) 4273418 Contact: Mr Siriman Yarnoon	Vipac Engineers & Scientists Ltd., Victorian Technology Centre, 275 Normandy Road, Port Melbourne VIC. 3207 AUSTRALIA Telephone: (03) 9647-9700 Facsimile: (03) 9646-4370	
AUTHOR:	Date:	
Greg Theodoridis Project Engineer	4/12/00	
REVIEWED BY:	Date:	
Norm Broner Operations Manager	5/12/00	
REVISION HISTORY:		
Issue No.	Date Issued	Reason/Comments
0	December, 2000	Original
DISTRIBUTION:		
This is Copy No.	Issue No.	Location
1	0	Client
2	0	Project File
3	0	Vipac Melbourne Library
KEY WORDS:	Noise, Airflow, Air Outlets and Inlets, Damper effect	

Report No.: R02434-2 SGT302434-2.doc

CEMMI TRADING CO., LTD. October, 2000 Page 2 of 9

DOCUMENT CONTROL FORM

Airflow And Acoustic Research and Development Study of Various Air Outlets and Inlets

FILE:	REPORT CODE:	
GT3024341.doc	MA 77	
PREPARED FOR:	PREPARED BY:	
CEMMI TRADING CO., LTD. 312, 244 MOO 9 SOI SUKSAWAD 34 SUKSAWAD RD. BANGPAKOK RADBURANA BANGKOK THAILAND 10140 Telephone: (65) 4296183 - 4 Facsimile: (65) 4273418 Contact: Mr Siriman Yarnoon	Vipac Engineers & Scientists Ltd., Victorian Technology Centre, 275 Normandy Road, Port Melbourne VIC. 3207 AUSTRALIA Telephone: (03) 9647-9700 Facsimile: (03) 9646-4370	
AUTHOR:	Date:	
Greg Theodoridis Project Engineer	15/1/00	
REVIEWED BY:	Date:	
Norm Broner N.A.T.A. Signatory	1/1/00	
REVISION HISTORY:		
Issue No.	Date Issued	Reason/Comments
0	October, 2000	Original
DISTRIBUTION:		
This is Copy No.	Issue No.	Location
1	0	Client
2	0	Project File
3	0	Vipac Melbourne Library
KEY WORDS:	Noise, Airflow, Air Outlets and Inlets, Damper effect	

N.A.T.A. Report No.: R02434-1 SGT302434-1.doc

FIGTHRU บริษัท เซมมิเทรดดิ้ง จำกัด

หนังสือรับรองผลิตภัณฑ์

FIGTHRU

บริษัท เซมมิเทรดดิ้ง จำกัด เป็นผู้รับจ้างและจัดทำผลึกผลิตภัณฑ์ **FIGTHRU** ซึ่งเป็นผลิตภัณฑ์ที่เป็นส่วนประกอบ ของระบบปรับอากาศ ที่ได้รับการรับรองมาตรฐานมากกว่า 30 ปี ทั้งด้านการผลิตและการจำหน่าย ซึ่งได้รับการยอมรับในด้านความพึงพอใจของลูกค้า

หนังสือรับรองนี้ครอบคลุมจากวันที่ผลิตสินค้าจากโรงงานของ บริษัท เซมมิเทรดดิ้ง จำกัด ถึงหน่วยงานของลูกค้าตามที่กำหนดไว้ใช้ผลิตภัณฑ์ **FIGTHRU** อย่างไรก็ตาม การรับรองผลิตภัณฑ์จะไม่ได้ครอบคลุมถึงการติดตั้งที่ผิดพลาดจากความคิดของวิศวกร หรือ ช่างเทคนิค หรือ การเชื่อมระบบที่ผิดพลาดที่ก่อให้เกิดความเสียหายอื่นใด การรับประกันสินค้าของบริษัท จะเป็นไปตามเงื่อนไข

- ผลิตภัณฑ์ที่วางอยู่บนพื้นของทางบริษัท คือมีตราสินค้าของทางบริษัทติดอยู่บนตัวผลิตภัณฑ์
- แบบ ขนาด สี และ จำนวน เป็นไปตามใบสั่งซื้อ โดยทางบริษัทจะรับผิดชอบในแบบ ขนาด สี และจำนวน ในใบสั่งซื้อสินค้าเท่านั้น
- วัสดุประเภทพลาสติกเป็นวัสดุที่ทนทานต่อสภาพแวดล้อมที่ชื้นแฉะจากน้ำหรือความชื้นจากอากาศ
- ความเสียหายอื่นใดที่เกิดจากบริษัท หรือจากงานติดตั้งของบริษัท จะรับผิดชอบ

ทางบริษัทจะทำการผลิตสินค้าให้กับท่านใหม่ ทันทีตามเงื่อนไขของหนังสือรับรองผลิตภัณฑ์ฉบับนี้

ในนามบริษัท เซมมิเทรดดิ้ง จำกัด

(นายสมิทธิ์ เจริญรุ่งเรือง)
ประธานบริษัท

FIGTHRU บริษัท เซมมิเทรดดิ้ง จำกัด

หนังสือรับรอง

จากการทดสอบที่ขนาด 28.7x28.7 ซม. แบบกริดวงรีที่มีขนาด 1/2 นิ้ว ของบริษัท เซมมิเทรดดิ้ง จำกัด ที่ห้องปฏิบัติการทดสอบเสียงของมหาวิทยาลัยเทคโนโลยีพระจอมเกล้าพระนครเหนือ โดยทำการทดสอบตามมาตรฐาน ISO 9001:2000 ที่ 25-26 "Cdb และ 17-18" Cwb ผลทดสอบมีดังนี้ 15-22 พฤษภาคม พ.ศ. 2550 การทดสอบนี้ได้รับการรับรองโดย

ที่ความถี่ 300 ทุต่อนาที มีการสูญเสียความดันของลมที่ 253 มิลลิเมตรน้ำ
มีการไหลของลมที่ 253 ทุต่อนาที
ที่ความถี่ 1,500 ทุต่อนาที มีการสูญเสียความดันของลมที่ 4 มิลลิเมตรน้ำ
มีการไหลของลมที่ 763 ทุต่อนาที
มีการไหลของลมที่ 0.58

จึงออกหนังสือรับรองของผลิตภัณฑ์ตามผลการพัฒนาของวิศวกรให้

นายสมิทธิ์ เจริญรุ่งเรือง วันที่ 25 ธันวาคม พุทธศักราช 2550

(น.ส. จริญญา นาคพิพัฒน์)
หัวหน้าห้องปฏิบัติการทางเสียงและปรับอากาศ

(ร.ร.ร. จักรกานต์)
หัวหน้าฝ่ายวิศวกรรมเครื่องกล

FIGTHRU บริษัท เซมมิเทรดดิ้ง จำกัด

หนังสือรับรอง

จากการทดสอบที่ขนาด 49.5x9.5 ซม. แบบกริดวงรีที่มีขนาด 1/2 นิ้ว ของบริษัท เซมมิเทรดดิ้ง จำกัด ที่ห้องปฏิบัติการทดสอบเสียงของมหาวิทยาลัยเทคโนโลยีพระจอมเกล้าพระนครเหนือ โดยทำการทดสอบตามมาตรฐาน ISO 9001:2000 ที่ 25-26 "Cdb และ 17-18" Cwb ผลทดสอบมีดังนี้ 1-10 ธันวาคม พ.ศ. 2550 การทดสอบนี้ได้รับการรับรองโดย

ที่ความถี่ 300 ทุต่อนาที มีการสูญเสียความดันของลมที่ 253 มิลลิเมตรน้ำ
มีการไหลของลมที่ 253 ทุต่อนาที
ที่ความถี่ 1,500 ทุต่อนาที มีการสูญเสียความดันของลมที่ 4 มิลลิเมตรน้ำ
มีการไหลของลมที่ 763 ทุต่อนาที
มีการไหลของลมที่ 0.76

จึงออกหนังสือรับรองของผลิตภัณฑ์ตามผลการพัฒนาของวิศวกรให้

ให้ไว้ ณ วันที่ 25 ธันวาคม พุทธศักราช 2550

(น.ส. จริญญา นาคพิพัฒน์)
หัวหน้าห้องปฏิบัติการทางเสียงและปรับอากาศ

(ร.ร.ร. จักรกานต์)
หัวหน้าฝ่ายวิศวกรรมเครื่องกล

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER



SQUARE CEILING DIFFUSER

หัวจ่ายลมเพดานสี่เหลี่ยมจตุรัส



MODEL : SCD

SPECIAL SIZES AND CUSTOM MODEL, UPON REQUEST
SQUARE & RECTANGULAR CEILING DIFFUSER
ARRANGEMENT SCD+OBV : DIFFUSER WITH
OPPOSED BLADE VOLUME DAMPER ALSO AVAILABLE



LISTED SIZE	A	B	C
6" X 6"	9 3/16	5 5/8	1 3/8
8" X 8"	11 3/16	7 5/8	1 3/8
10" X 10"	13 3/16	9 5/8	1 3/8
12" X 12"	15 3/16	11 5/8	1 3/8
14" X 14"	17 3/16	13 5/8	1 3/8

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER


RECTANGULAR CEILING DIFFUSER

หัวจ่ายลมเพดานสี่เหลี่ยมผืนผ้า



MODEL : RCDA

SPECIAL SIZES AND CUSTOM MODEL, UPON REQUEST
SQUARE & RECTANGULAR CEILING DIFFUSER
ARRANGEMENT RCDA+OBV : DIFFUSER WITH
OPPOSED BLADE VOLUME DAMPER ALSO AVAILABLE



LISTED SIZE	A	B	C
6" X 6"	9 3/16	5 5/8	1 3/8
8" X 8"	11 3/16	7 5/8	1 3/8
10" X 10"	13 3/16	9 5/8	1 3/8
12" X 12"	15 3/16	11 5/8	1 3/8
14" X 14"	17 3/16	13 5/8	1 3/8



CEMMI TRADING CO., LTD.

FIGTHRU

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

SQUARE CEILING DIFFUSER

หัวจ่ายลมเพดานสี่เหลี่ยมจตุรัสชนิดคอนาน



MODEL : WCD

SPECIAL SIZES AND CUSTOM MODEL, UPON REQUEST
SQUARE & RECTANGULAR CEILING DIFFUSER
ARRANGEMENT WCD+OBV : DIFFUSER WITH
OPPOSED BLADE VOLUME DAMPER ALSO AVAILABLE



WCD-1




WCD-2



WCD-3



WCD-4



ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER


DEEP CONTOUR

หัวจ่ายลมเพดานสี่เหลี่ยมจตุรัสชนิดปีกสูง



MODEL : DCD

SPECIAL SIZES AND CUSTOM MODEL, UPON REQUEST
SQUARE & RECTANGULAR CEILING DIFFUSER
ARRANGEMENT DCD+OBV : DIFFUSER WITH
OPPOSED BLADE VOLUME DAMPER ALSO AVAILABLE





LISTED SIZE	A	B	C
6" X 6"	10 3/4	5 5/8	2 3/16
8" X 8"	13 3/4	8 5/8	2 3/16
12" X 12"	16 3/4	11 5/8	2 3/16
15" X 15"	19 3/4	14 5/8	2 3/16

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

FLAT FLAME SQUARE CEILING DIFFUSER

หัวจ่ายลมเพดานสี่เหลี่ยมจตุรัสชนิดปีกเรียบ



MODEL : FSCD


SPECIAL SIZES AND CUSTOM MODEL, UPON REQUEST
ARRANGEMENT FSCD+OBV : DIFFUSER WITH
OPPOSED BLADE VOLUME DAMPER ALSO AVAILABLE

LISTED SIZE	A	B	C
6" X 6"	7 1/4	5 1/2	2
8" X 8"	9 1/4	7 1/2	2
10" X 10"	11 1/4	9 1/2	2
12" X 12"	13 1/4	11 1/2	2
14" X 14"	15 1/4	13 1/2	2

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

SQUARE CEILING DIFFUSER (VW TYPE)

หัวจ่ายลมเพดานสี่เหลี่ยมจตุรัสปีกกว้างพิเศษ (สำหรับวางพาดักบาร์)



A = 59.5 Cm

B = NECK SIZE -3/8

C = 2"

MODEL : VWSCD

SPECIAL MODEL FOR T-BAR LAY IN
ARRANGEMENT VWSCD+OBV : DIFFUSER WITH
OPPOSED BLADE VOLUME DAMPER ALSO AVAILABLE




CEMMI TRADING CO., LTD.

FIGTHRU

ANODIZED EXTRUDED ALUMINIUM

RETURN AIR GRILLE (FIXED TYPE)

หน้าต่างแอร์สลับ



MODEL : RAG-1

FOR USING AS RETURN AIR GRILLE
SIZE IS UPON REQUEST



ANODIZED EXTRUDED ALUMINIUM

RETURN AIR GRILLE (HINGE TYPE)

หน้าต่างแอร์สลับชนิดถอดได้



MODEL : RAG-1B


FOR USING AS RETURN AIR GRILLE
SIZE IS UPON REQUEST
EASY TO INSTALL AND REMOVE



ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

RETURN AIR GRILLE FOR T-BAR

หน้าทากแอร์ลมกลับสำหรับพาทันบาร์



A = LISTED SIZE (60 OR 120 CM.)

B = LISTED SIZE - 0.5 CM.

MODEL : RAG-T-BAR



FOR USING AS RETURN AIR GRILLE

AND SIZE IS UPON REQUEST

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

FLAT FRAME RETURN AIR GRILLE

หน้าทากแอร์ลมกลับชนิดปีกเรียบ



MODEL : FRAG

FOR USING AS RETURN AIR GRILLE


AND SIZE IS UPON REQUEST



ANODIZED EXTRUDED ALUMINIUM

FRESH AIR GRILLE (FIXED TYPE)

หน้ากากแอร์ลมกลีบแบบใบ Z




MODEL : FAG

SPECIAL SIZES AND CUSTOM MODEL,
UPON REQUEST FAG+OBV+IS : FRESH AIR GRILL
W/DAMPER & INSECT SCREEN; OR FRESH AIR GRILL
WHICHEVER WAY YOU LIKE

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

FRESH AIR GRILLE (HINGE TYPE)

หน้ากากแอร์ลมกลีบแบบใบ Z ชนิดถอดได้



MODEL : FAG-1B



FOR USING AS RETURN, FRESH AIR GRILLE
SIZE IS UPON REQUEST
EASY TO INSTALL AND REMOVE



ANODIZED EXTRUDED ALUMINIUM

FRESH AIR GRILLE FOR T-BAR

หน้าทากแอร์กลับแบบ Z สำหรับฟัทบาร์



A = LISTED SIZE (60 OR 120 CM.)

B = LISTED SIZE (- 0.5 CM.)

MODEL : FAG-T-BAR



FOR USING AS RETURN,FRESH AIR GRILLE

AND SIZE IS UPON REQUEST

ANODIZED EXTRUDED ALUMINIUM

FLAT FRAME FRESH AIR GRILLE

หน้าทากแอร์กลับแบบ Z ชนิดปัทรี



MODEL : FFAG

SPECIAL SIZES AND CUSTOM MODEL,

UPON REQUEST FAG+OBV+IS : FRESH AIR GRILL

W/DAMPER & INSECT SCREEN; OR FRESH AIR GRILL


WHICHEVER WAY YOU LIKE



ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

SINGLE DEFLECTION AIR GRILLE (VERTICAL)

หัวจ่ายลมใบปรับได้ชนิดใบเรียงแนวตั้ง



MODEL : ASG-V

- FOR USING AS SUPPLY AIR GRILLE ON THE SIDE WALL
- BLADES ARE ADJUSTABLE

LISTED	SIZE	A1	A	B1	B	C
4	10	9 5/8	11 3/4	3 5/8	5 3/4	1 7/16

A = LISTED SIZE +1 3/4"

B = LISTED SIZE 1 3/4"

C = SAME FOR ALL SIZE

A1 = LISTED SIZE -3/8"


B1 = LISTED SIZE 3/8"

SIZE AVAILABLE FROM 4" X 6" UP TO 48" X 48" WITH 2" INCREMENT ON BOTH SIZES

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

SINGLE DEFLECTION AIR GRILLE (HORIZONTAL)

หัวจ่ายลมใบปรับได้ชนิดใบเรียงแนวนอน



MODEL : ASG-H

- FOR USING AS SUPPLY AIR GRILLE ON THE SIDE WALL
- BLADES ARE ADJUSTABLE

LISTED	SIZE	A1	A	B1	B	C
4	10	9 5/8	11 3/4	3 5/8	5 3/4	1 7/16

A = LISTED SIZE +1 3/4"

B = LISTED SIZE 1 3/4"

C = SAME FOR ALL SIZE

A1 = LISTED SIZE -3/8"



B1 = LISTED SIZE 3/8"

SIZE AVAILABLE FROM 4" X 6" UP TO 48" X 48" WITH 2" INCREMENT ON BOTH SIZES

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

DOUBLE DEFLECTION AIR GRILLE (VERTICAL)

หัวจ่ายลมปรับใบได้ 4 ทิศทาง ชนิดใบตั้งอยู่หน้า



MODEL : ADG-V

- FOR USING AS SUPPLY AIR GRILLE ON THE SIDE WALL
- THE FRONT BLADES ARE VERTICAL
- BLADES ARE ADJUSTABLE



LISTED	SIZE	A1	A	B1	B	C
4	10	9 5/8	11 3/4	3 5/8	5 3/4	2

A = LISTED SIZE + 1 3/4"

B = LISTED SIZE 1 3/4"

C = SAME FOR ALL SIZE

A1 = LISTED SIZE - 3/8"

B1 = LISTED SIZE 3/8"

SIZE AVAILABLE FROM 4" X 6" UP TO 48" X 48" WITH 2" INCREMENT ON BOTH SIZES

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

DOUBLE DEFLECTION AIR GRILLE (HORIZONTAL)

หัวจ่ายลมปรับใบได้ 4 ทิศทาง ชนิดใบนอนอยู่หน้า



MODEL : ADG-H

- FOR USING AS SUPPLY AIR GRILLE ON THE SIDE WALL
- THE FRONT BLADES ARE HORIZONTAL
- BLADES ARE ADJUSTABLE



LISTED	SIZE	A1	A	B1	B	C
4	10	9 5/8	11 3/4	3 5/8	5 3/4	2

A = LISTED SIZE + 1 3/4"

B = LISTED SIZE 1 3/4"

C = SAME FOR ALL SIZE

A1 = LISTED SIZE - 3/8"

B1 = LISTED SIZE 3/8"



SIZE AVAILABLE FROM 4" X 6" UP TO 48" X 48" WITH 2" INCREMENT ON BOTH SIZES



ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

FLAT FRAME DOUBLE DEFLECTION AIR GRILLE (VERTICAL)

หัวจ่ายลมปรับใบได้ 4 ทิศทาง ชนิดปีกเรียบ (ใบตั้งอยู่หน้า)



MODEL : FADG-V

LISTED	SIZE	A1	A	B1	B	C
4	12	11 3/8	13 3/8	3 3/8	5 3/8	2

A = LISTED SIZE +1 3/8"

B = LISTED SIZE 1 3/8"

C = SAME FOR ALL SIZE

A1 = LISTED SIZE -5/8"



B1 = LISTED SIZE 5/8"

SIZE AVAILABLE FROM 4" X 6" UP TO 48" X 48" WITH 2" INCREMENT ON BOTH SIZES

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

FLAT FRAME DOUBLE DEFLECTION AIR GRILLE (HORIZONTAL)

หัวจ่ายลมปรับใบได้ 4 ทิศทาง ชนิดปีกเรียบ (ใบนอนอยู่หน้า)



MODEL : FADG-H

LISTED	SIZE	A1	A	B1	B	C
4	12	11 3/8	13 3/8	3 3/8	5 3/8	2

A = LISTED SIZE +1 3/8"

B = LISTED SIZE 1 3/8"

C = SAME FOR ALL SIZE

A1 = LISTED SIZE -5/8"

B1 = LISTED SIZE 5/8"

SIZE AVAILABLE FROM 4" X 6" UP TO 48" X 48" WITH 2" INCREMENT ON BOTH SIZES


ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

FLAT FRAME SINGLE DEFLECTION AIR GRILLE (VERTICAL)

หัวจ่ายลมใบปรับได้ ชนิดปีกเรียบ (ใบเรียงแนวตั้ง)



MODEL : FASG-V



LISTED	SIZE	A1	A	B1	B	C
4	12	11 3/8	13 3/8	3 3/8	5 3/8	1 1/2

A = LISTED SIZE + 1 3/8"

B = LISTED SIZE 1 3/8"

C = SAME FOR ALL SIZE

A1 = LISTED SIZE - 5/8"

B1 = LISTED SIZE 5/8"

SIZE AVAILABLE FROM 4" X 6" UP TO 48" X 48" WITH 2" INCREMENT ON BOTH SIZES


ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

FLAT FRAME SINGLE DEFLECTION AIR GRILLE (HORIZONTAL)

หัวจ่ายลมใบปรับได้ ชนิดปีกเรียบ (ใบเรียงแนวนอน)



MODEL : FASG-H



LISTED	SIZE	A1	A	B1	B	C
4	12	11 3/8	13 3/8	3 3/8	5 3/8	1 1/2

A = LISTED SIZE + 1 3/8"

B = LISTED SIZE 1 3/8"

C = SAME FOR ALL SIZE

A1 = LISTED SIZE - 5/8"

B1 = LISTED SIZE 5/8"

SIZE AVAILABLE FROM 4" X 6" UP TO 48" X 48" WITH 2" INCREMENT ON BOTH SIZES



ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

LINEAR SLOT DIFFUSER


หัวจ่ายลมแบบสล็อต




MODEL : LSD

IMPORTANT NOTES :

In all linear slot diffusers, constriction of free area by blade relationships must be set carefully so as not to throttle airstream, with resultant increase in static pressure and noise level criteria, it is recommended that care be exercised in setting blades to prevent such excessive constriction of air passageway. 2-Way throw may be obtained by staggering each 2 feet of pattern blades alternately from right to left.



MULTIPLE SLOT ADJUSTMENT, UP TO 8 SLOTS WIDE



ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

SLOT DIFFUSER (SPECIAL)

หัวจ่ายลมสล็อตแบบพิเศษ



MODEL : CURVE





MODEL : CORNER

- These special models are constructed of extruded aluminium which are available or anodized aluminium, white powder coating or other colors
- Sizes and designs are upon request
- Suitable for supplying or returning of air distribution and architectural application.

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

LINEAR BAR GRILLE

หัวจ่ายลมแบบลิ้นย่นบาร์



MODEL : LBG

FOR USING AS RETURN AIR GRILLE, SUPPLY AIR GRILLE

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

LINEAR BAR GRILLE (SPECIAL)

หัวจ่ายลมแบบลิ้นย่นบาร์แบบพิเศษ



MODEL : CORNER

- These special models are constructed of extruded aluminium which are available or anodized aluminium, white powder coating or other colors
- Sizes and designs are upon request
- Suitable for supplying or returning of air distribution and architectural application.



MODEL : CURVE




ALUMINIUM AIR DIFFUSER

ROUND CEILING DIFFUSER

หัวจ่ายลมเพดานรูปวงกลม



RCD



LISTED SIZE	FACE SIZE	WALL SIZE	NECK SIZE	WITH OBV
8"	388	280	205	210
10"	434	325	255	260
12"	484	377	306	311
14"	538	426	357	362
16"	595	480	405	410
18"	635	530	457	462

EXTRUDED ALUMINIUM

PERFORATED DIFFUSER

หน้ากากแอร์แบบตะแกรง



THE PERFORATED FACE PLATE SHALL BE ATTACHED TO THE OUTER FRAME WITH CONCEALED FASTENERS, WHERE BY THE FACE PLATE MAY BE REMOVED WITHOUT THE USE OF TOOLS FOR PURPOSE OF INSTALLATION, CHECKING OR INSPECTION THE SYSTEM. NO MOUNTING SCREWS SHALL BE VISIBLE FROM THE ROOM SIDE


EXTRUDED ALUMINIUM

EGG CRATE

หน้าทากแอร์แบบช่องตารางสี่เหลี่ยม



MODEL : EG



EGG CRATE RETURN AIR GRILLE, FIXED TYPE AND T.BAR TYPE.
REMOVABLE CORE, HINGED TYPE CAN AVAILABLE.

ANODIZED EXTRUDED

ACCESS PANEL

ประตูปิดช่องฝ้า



- USED AS THE DOOR TO GO INSIDE OF THE CEILING FOR MAINTAINENCE
- SIZE AND DESIGNS ARE UPON REQUEST

MODEL : ACCP




CEMMI TRADING CO., LTD.

FIGOTHRU

ANODIZED EXTRUDED ALUMINIUM

LOUVER 2" THK

บานเกร็ดกันน้ำพ่น ทน 2 นิ้ว




- AVAILABLE FOR 2" THICKNESS
- BLADES ARE RAIN PROOF TYPE
- SIZES AND DESIGNS ARE UPON REQUEST

MODEL : Z BLADE 2"

ANODIZED EXTRUDED ALUMINIUM

LOUVER 4" THK

บานเกร็ดกันน้ำพ่น ทน 4 นิ้ว




- AVAILABLE FOR 4" THICKNESS
- BLADES ARE RAIN PROOF TYPE
- SIZES AND DESIGNS ARE UPON REQUEST

MODEL : Z BLADE 4"

BALL JET DIFFUSER

หัวจ่าย เจ็ททรงกลม





MODEL: RJD

- : MADE OF ALUMINUM
- : LONG DISTANCE AIR SUPPLY WITH LOW NOISE LEVEL
- : SUITABLE FOR CONCERT HALL, AIRPORT, THEATRE, ETC
- : OTHER COLORS ARE UPON REQUEST

SIZE	D1	D2	D3	D4	L3
8"	203	265	150	105	28
10"	254	310	195	130	28
12"	320	380	250	180	28
14"	250	420	280	200	30
16"	397	470	325	220	30

DRUM JET DIFFUSER

หัวจ่าย เจ็ททรงสี่เหลี่ยม



- : MADE OF GALVANIZED STEEL OR ALUMINUM
- : LONG DISTANCE AIR SUPPLY WITH LOW NOISE LEVEL.
- : ADJUSTABLE AIR DIRECTION, VERTICALLY OR HORIZONTALLY
- : SIZES AND COLORS ARE UPON REQUEST


ORDER SIZE	NECK SIZE	DUCT SIZE	WALL SIZE	FACE	H1	H2
W X H	W	W+10	W+20	W+50	75-100	150-200
	H	W+10	W+20	W+50		

หน้า ๒๓



ROUND VENT LOUVER

หน้าต่างระบายลมทรงกลม




MODEL: RV-L

- : FOR USING AS RETURN OR FRESH AIR GRILLE
- : CAN BE APPLIED OUTSIDE WALL AS WELL AS INSIDE
- : WITH INSECT SCREEN, FIXING CLIPS
- : OTHER COLORS ARE UPON REQUEST
- : VENT CAP CAN ALSO AVAILABLE

ORDER SIZE	NECK SIZE	WALL SIZE	FACE SIZE	H1	H2
4"	97	110	140	45	130
6"	145	165	205	45	150
8"	197	210	270	45	190
10"	245	250	270	45	190

SQUARE VENT LOUVER

หน้าต่างระบายลม



MODEL: SQ-L

- : FOR USING AS RETURN OR FRESH AIR GRILLE
- : CAN BE APPLIED OUTSIDE WALL AS WELL AS INSIDE
- : SUPPLIED WITH INSECT SCREEN, FIXING CLIPS
- : OTHER COLORS ARE UPON REQUEST


ORDER SIZE	FACE SIZE	NECK SIZE	WALL SIZE	H1	H2
4"	125	97	110	67	70
5"	181	124	127	67	80
6"	181	149	152	67	80

ANODIZED EXTRUDED ALUMINIUM AIR DIFFUSER

POWDER COATING AND OTHER COLORS

รับอบสี และพ่นสีต่างๆ ตามสั่ง

WHITE POWDER COATING



OTHER COLORS



WOOD STYLE COLORS






DAMPER

VOLUME DAMPER

วอลุ่มแดมเปอร์สังกะสี (VD)



VOLUME DAMPER (VD)

- Made of galvanized steel sheet
- Adjust blades position with lockable crank arm
- For mounting in duct line or building sidewall
- Sizes are upon request


วอลุ่มแดมเปอร์สังกะสี (VD)

- ทำจากแผ่นสังกะสี
- ปรับตำแหน่งใบ ด้วยคันโยกที่ล็อกตำแหน่งได้
- สำหรับติดตั้งในท่อดักท์ หรือติดที่ผนังห้อง
- รับสั่งทำตามขนาดที่ต้องการ

DAMPER

ROUND VOLUME DAMPER

วอลุ่มแดมเปอร์ชนิดกลม (RVD)



ROUND VOLUME DAMPER (RVD)

- Made of single rounded galvanized steel sheet
- Adjust blades position with lockable crank arm
- For mounting in spiral/flexible ducts


วอลุ่มแดมเปอร์ชนิดกลม (RVD)

- ทำจากแผ่นสังกะสีโค้ง
- ปรับตำแหน่งใบ ด้วยคันโยกที่ล็อกตำแหน่งได้
- สำหรับติดตั้งในท่อดักท์ชนิดกลม

DAMPER

GRAVITY DAMPER

กราวิตี้แดมเปอร์ (GD)



GRAVITY DAMPER (GD)

- Made of galvanized steel sheet
- Blades opened by air flow and closed automatically by gravity
- For mounting in duct line, shaft or building side wall.
- Sizes are upon request



กราวิตี้แดมเปอร์ (GD)

- ทำจากแผ่นสังกะสี
- เปิดปิดอัตโนมัติด้วยแรงลมและแรงโน้มถ่วง
- สำหรับติดตั้งในท่อดักท์ หรือติดที่ผนังห้อง
- รับสั่งทำตามขนาดที่ต้องการ

DAMPER

ROUND GRAVITY DAMPER

กราวิตี้แดมเปอร์ชนิดกลม (RGD)



ROUND GRAVITY DAMPER (RGD)

- Made of single rounded galvanized steel sheet
- Blades opened by air flow and closed automatically by gravity
- For mounting in spiral/flexible ducts

กราวิตี้แดมเปอร์ชนิดกลม (RGD)


- ทำจากแผ่นสังกะสีโค้ง
- เปิดปิดอัตโนมัติด้วยแรงลมและแรงโน้มถ่วง
- สำหรับติดตั้งในท่อดักท์ชนิดกลม



DAMPER

MOTORIZED DAMPER

แฉมเปอร้มอเตอร้ (MD)



MOTORIZED DAMPER (MD)

- Made of galvanized steel sheet
- Adjusting blades automatically by the electric actuator
- For mounting in duct line, shaft or building sidewall.
- Sizes are upon request



แฉมเปอร้มอเตอร้ (MD)

- ทำจากแผ่นสังกะสี
- ปรับระดับของใบด้วยระบบอิเล็กทรอนิกส์
- สำหรับติดตั้งในท่อดักท์ หรือติดที่ผนังห้อง
- รับสั่งทำตามขนาดที่ต้องการ

DAMPER

ROUND MOTORIZED DAMPER

แฉมเปอร้มอเตอร้ชนิดกลม (RMD)



ROUND MOTORIZED DAMPER (RMD)

- Made of single rounded galvanized steel sheet
- Adjusting blades automatically by the electric actuator
- For mounting in spiral/flexible ducts


แฉมเปอร้มอเตอร้ชนิดกลม (RMD)

- ทำจากแผ่นสังกะสีโค้ง
- ปรับระดับของใบด้วยระบบอิเล็กทรอนิกส์
- สำหรับติดตั้งในท่อดักท์ชนิดกลม

DAMPER

VOLUME DAMPER (GEAR)

วอลุ่มแดมเปอร์ชนิดเกียร์ (GEAR)



GEAR VOLUME DAMPER (GEAR)

- Made of galvanized steel sheet
- Adjusting blades with gear wheel
- For mounting in duct line, shaft or building sidewall.
- Sizes are upon request


วอลุ่มแดมเปอร์ชนิดเกียร์ (GEAR)

- ทำจากแผ่นสังกะสี
- ปรับระดับของใบโดยการหมุนเกียร์
- สำหรับติดตั้งในท่อดักท์ หรือติดที่ผนังห้อง
- รับสั่งทำตามขนาดที่ต้องการ

DAMPER

FIRE DAMPER (FID)

แดมเปอร์กันไฟ (FID)



FIRE DAMPER (FID)

- Made of galvanized steel sheet
- Blades closed automatically when the temperature $>165^{\circ}\text{F}$
- For preventing fire spread through duct lines
- Sizes are upon request

แดมเปอร์กันไฟ (FID)

- ทำจากแผ่นสังกะสี
- ใบจะปิดอัตโนมัติเมื่อได้รับอุณหภูมิสูงเกิน 75°C
- สำหรับป้องกันไฟลุกลามผ่านระบบท่อดักท์
- รับสั่งทำตามขนาดที่ต้องการ




DAMPER

OPPOSED BLADE VOLUME DAMPER


แฉกเปอร์ดสำหรับติดตั้งด้านหลังหัวจ่ายลมรูปสี่เหลี่ยม



FIXED WITH SQUARE CEILING
DIFFUSER WALL TYPE SUPPLY
GRILLE, RETURN GRILLE,
FRESH AIR GRILLE.



MODEL : OBV





DAMPER

ROUND VOLUME DAMPER (FOR RCD)

แฉกเปอร์ดสำหรับติดตั้งด้านหลังหัวจ่ายลมรูปวงกลม



FIXED WITH ROUND CEILING
DIFFUSER FOR ADJUSTING AIR
DISTRIBUTION



FILTER & INSECT SCREEN

ALUMINIUM FILTER (AF)

ฟิวเตอร์อะลูมิเนียม



AN ALUMINUM FILTER IS MADE OF ALUMINUM FILTER MEDIA LAYERS, WHICH ARE PACKED BY ALUMINUM FRAME. IT CAN SCREEN DUST, OIL AND DIRT FROM OUTDOOR/INDOOR AIR.



A x B = SIZES ARE UPON REQUEST

C = 1/2", 1", 2" THICKNESS


FILTER & INSECT SCREEN

SYNTHETIC FILTER (SF)

ฟิวเตอร์ใยสังเคราะห์



THIS FILTER TYPE IS MADE OF BLACK OR WHITE POLYESTER FIBER. IT IS SUITABLE FOR SCREENING DUST, ALSO EASY TO REMOVE AND TO WASH.



A x B = SIZES ARE UPON REQUEST

C = THICKNESS IS UPON REQUEST



FILTER & INSECT SCREEN

NYLON FILTER (NF)

ฟิวเตอร์ไนลอน



THIS FILTER TYPE IS MADE OF STRONG PP NET WHICH IS TRANSPARENT LINE NYLON, IT IS SUITABLE FOR SCREENING DUST, ALSO EASY TO REMOVE AND TO CLEAN BY BRUSHING



A x B = SIZES ARE UPON REQUEST

C = THICKNESS IS UPON REQUEST

FILTER & INSECT SCREEN

INSECT SCREEN (IS)

ฟิวเตอร์มุ้งลวดกันแมลง



THIS PRODUCT IS MADE OF ALUMINUM WIRE MESH, AND FRAMED BY EXTRUDED ALUMINUM. IT CAN SCREEN FROM INSECTS TO SMALL BIRDS & REPTILES.



A x B = SIZES ARE UPON REQUEST

C = 1/2", THICK

ALUMINIUM FLEXIBLE DUCT

FLEXIBLE AIR DUCT

ท่อลมชนิดยืดหยุ่น



- ท่อลมอลูมิเนียมและโพลีเอสเตอร์
- มีความยืดหยุ่นสูง
- เสริมโครงด้วยลวดสปริงชุบโลหะกันสนิม

- MADE OF ALUMINUM AND POLYESTER.
- HIGH FLEXIBILITY.
- ANTI-RUST SPRING WIRE AS ITS REINFORCEMENT.

ALUMINIUM FLEXIBLE DUCT

FLEXIBLE AIR DUCT WITH INSULATION

ท่อลมยืดหยุ่นแบบหุ้มฉนวน



- ท่อลมยืดหยุ่นสูง ผลิตจากอลูมิเนียม และ โพลีเอสเตอร์
- เสริมโครงด้วยลวดสปริงชุบโลหะกันสนิม
- หุ้มด้วยฉนวนใยแก้ว ช่วยลดการควบแน่น


- HIGH FLEXIBLE DUST MADE OF ALUMINUM AND POLYESTER.
- ANTI-RUST SPRING WIRE AS ITS REINFORCEMENT.
- LOW CONDENSING WITH FIBERGLASS INSULATION.



INSULATION

FIBER GLASS INSULATION

ฉนวนใยแก้ว



- ฉนวนใยแก้วสำหรับงานระบบปรับอากาศใช้เพื่อป้องกันการสูญเสียความเย็นของท่อส่งลม
- ลดการควบแน่นของไอน้ำอย่างมีประสิทธิภาพ

- FOR REDUCING UNSTABILITY OF DUCT TEMPERATURE.
- WELL USED IN ANTI CONDENSING DUCT LINE

INSULATION

RUBBER INSULATION

ฉนวนยาง



- ฉนวนยางดำสำหรับงานระบบปรับอากาศใช้เพื่อป้องกันการสูญเสียความเย็นของท่อส่งลม
- มีความยืดหยุ่นสูงติดตั้งง่าย

- FOR REDUCING UNSTABILITY OF DUCT TEMPERATURE.
- HIGH FLEXIBILITY, EASY TO INSTALL.

INSULATION

LDPE INSULATION

ฉนวนพลาสติก



- เป็นฉนวนที่ทำมาจากพลาสติกชนิด LDPE. ไม่ลามไฟและไม่เป็นพิษ
- ไม่เกิดปฏิกิริยาต่อสารเคมี เช่น แอลกอฮอล์, เบนซิน, ทินเนอร์, กรดเกลือ, ต่าง
- MADE OF LDPE PLASTIC.
- INSOLUBLE AND NON-REACTION TO WATER, ORGANIC SOLVENTS, ACID, BASE.
- ANTI FLAME SPREADING, NON-TOXIC GAS.

INSULATION

PRE-INSULATED DUCT (PID)

ท่อลมทั้งสำเร็จรูป



- เป็นท่อลมส่งลมเป็นแบบฉนวนทั้งสำเร็จรูป
- วัสดุทำจาก ฟีนอลิก โฟม (PHENOLIC FOAM) ที่สามารถดับไฟได้เอง โดยไม่เกิดการลุกลามและไม่มีสารประกอบ CFC
- ง่ายต่อการประกอบและติดตั้ง
- SEMI-INSTANT DUCT MADE OF PHENOLIC FOAM.
- ANTI-FLAME SPREADING
- NON-CFC.
- EASY TO INSTALL.



DUCT ACCESSORIES

ปะเก็น (GASKET)



- ใช้ปิดและอุดรอยรั่วระหว่างหน้าแปลน และมีกาวยึดในตัว

DUCT ACCESSORIES

หมุดยึด (ANCHOR PIN)

- ใช้สำหรับติดตั้งท่อลม หรือผนังกำแพงเพื่อยึดเกาะกับฉนวน



DUCT ACCESSORIES

คอนเนอร์ (CORNER)



- ใช้สำหรับเชื่อมต่อของ VOLUME DAMPER หรือเชื่อมต่อของท่อดักท์

DUCT ACCESSORIES

ก๊อบล็อกหน้าแปลน



- ใช้สำหรับล็อกหน้าแปลนของท่อลม เพื่อยึดท่อลมระหว่างกัน

DUCT ACCESSORIES

บุกล็อกก้านแอมเปอร์

- ใช้สำหรับล็อกตำแหน่งของใบแยกลมในงานท่อดักท์ เพื่อปรับปริมาณลมในท่อแยกหรือหน้ากากแอร์



DUCT ACCESSORIES

เทปอลูมิเนียม (ALUMINUM TAPE)



- ใช้สำหรับปิดยึดกับแผ่นอลูมิเนียมฟอยล์ของใยแก้ว



CEMMI TRADING CO.,LTD.

312, 244 Moo 9 Soi Suksawat 34 Suksawat Rd. Bangpakok
Ratburana Bangkok 10140 Tel : 02-428-6183-4 Fax : 02-427-3418
www.cemmitrading.co.th

FIQTHRU

Project Reference

FIQTHRU

**Cemmi Trading co.,Ltd. Has the pleasure to inform you that,
we have concerned the list enclosed.**

Chitlada Palace	2000-2005
Chakri Maha Prasat.	2000-2006
Sukkhothai Place	2000-2007
Royal Manee ya	2008-2009
Noble Remix	2008-2009
Central Festival Pattaya	2008-2009
Central Chang watana	2008-2009
Central Wong amart Pattaya	2008-2009
Siamparagon Complex	2007
Central Wold Plaza.	2007
Yanhee Hospital. (PHASE 2)	2009
Bangkok Hospital.	2006-2007
Vichaiyut Hospital.	2006-2007
Thai Siam Commercial Bank. (Head Office)	2006-2007
Thai Farmers Bank Public Company Limited. (Head Office)	2006-2007
Thai Military Bank Public Company Limited. (Head Office)	2006-2007
Thai Farmers Bank Public Company Limited. (Changwatana)	2009
Bangkok University (Rang sit)	2009-2010
S 12 Thiemruammitr Station.	2006-2007
S 13 Pracharat Bamphen Station.	2006-2007
S 14 Ratchada Station.	2006-2007
S 15 Sutthisan Station.	2006-2007
S 16 Lat Phrao Station.	2006-2007
S 18 Phahonyothin Station.	2006-2007
S 19 Mochit Station.	2006-2007
S 20 Kamphaengphet Station.	2006-2007
S 21 Bang Su Station	2006-2007
E 10 Bang-Jak Station	2008-2009
E 11 Punvitee Station	2008-2009
E 12 U-Domsuk Station	2008-2009
E 13 Bangna Station	2008-2009
E 1B Barering Station	2008-2009

FIQTHRU



Project Reference



**Cemmi Trading co.,Ltd. Has the pleasure to inform you that,
we have concerned the list enclosed.**

C.P.Ladkrabang	2013
55 Market	2013-2015
Atthanee Tower	2013-2015
Avani Bangkok Hotel and Plaza	2013-2015
Central East Ville	2013-2015
Chatrium Yangon Hotel	2013-2015
CP Tower Korat, Surat Thani	2013-2015
CP-Ram Ladkrabang	2013-2015
Fyi Center and Hotel	2013-2015
G Land Tower Grand Rama 9	2013-2015
Hua Hin Marriott Resort & Spa	2013-2015
Phuket Royal Marina	2013-2015
Marriott Phuket	2014-2015
SB Central Westgate , Chiang Mai , Phuket	2014-2015
Thammasat University	2014-2015
Hua Chiew University	2014-2015
Thammasat University Patcharakitiyapa Building	2014-2015
Mahidol University (Bangkok) Global Innovation Building	2014-2015
Mae Fah Luang University	2014-2015
Rangsit University	2014-2015
Walailak University	2014-2015
Rajamangala Srivijaya University , Surat Thani	2014-2015
Montien Pattaya	2014-2015
Baan Jamjuree 2	2014-2016
Si Rat Expressway	2015
The Plam Condo	2015-2016
The Riviera Pattaya	2015-2016
Central Phuket	2015-2016
Suranaree University , Nakhon Ratchasima	2015-2016
University of The Thai Chamber Commerce Building 2-1	2015-2016
Marriott Hotel Sukhumvit 22	2015-2016



CEMMI TRADING CO.,LTD.

312, 244 Moo 9 Soi Suksawat 34 Suksawat Rd. Bangpakok
Ratburana Bangkok 10140 Tel : 02-428-6183-4 Fax : 02-427-3418
www.cemmitrading.co.th

FIGTHRU


Project Reference

FIGTHRU

**Cemmi Trading co.,Ltd. Has the pleasure to inform you that,
we have concerned the list enclosed.**

Makro Sukhothai , Phayao , Phitsanulok	2015-2016
Louis Hotel Viphawadi 64	2015-2016
Robinson Mae Sot	2015-2016
Robinson Samut Prakan	2015-2016
Noble Ploenchit A , B , C Building	2015-2016
Mbk Renovation	2015-2016
Central Plaza Pinklao Renovation	2015-2016
Cat Office.Changwattana	2016
Mahidol University Salaya	2016
Sule Square - Yangon , Myanmar	2016
The Rich Condo	2016
Terminal Korat	2016
Mahanakhon Tower	2016
Phuket International Airport	2016
King Power , Phuket	2016
The Mall , Korat	2016
Icon Siam	2016

FIGTHRU



FIQTHRU



CEMMI TRADING CO.,LTD.

Head Office + Factory : 138/1 Suksawat Rd., Bangpakok Ratburana Bangkok 10140

Tel : 02-427-3220, 02-427-2603, 02-428-6183-4

Fax : 02-427-3418, 02-428-6319


Email : cemmitrading@hotmail.com

cemmi_trading@yahoo.com

Website: www.cemmitrading.co.th



CEMMI TRADING CO.,LTD.



CEMMI TRADING CO.,LTD.

Head Office + Factory : 138/1 Suksawat Rd., Bangpakok Ratburana Bangkok 10140
Tel : 02-427-3220, 02-427-2603, 02-427-2603, 02-428-6183-4
Fax : 02-427-3418, 02-428-6319
Email : cemmitrading@hotmail.com
cemmi_trading@yahoo.com
Website: www.cemmitrading.co.th



FIOTHRU

CEMMI TRADING CO.,LTD.

Head Office + Factory : 138/1 Suksawat Rd., Bangpakok Ratburana
Bangkok 10140

Tel : 02-427-3220, 02-427-2603, 02-428-6183-4

Fax : 02-427-3418, 02-428-6319

Email : cemmitrading@hotmail.com

cemmi_trading@yahoo.com

Website: www.cemmitrading.co.th